

# UNVG

## ULTRALIGHT NIGHT VISION GOGGLES

The AGM UNVG is a dual-channel night vision system. The UNVG uses advanced multi-coated optics and is built to last with a compact composite housing. The device can be outfitted with a Gen 2+ or Gen 3 high-performance image intensifier tube (IIT). The UNVG is also equipped with manual gain control, which adjusts the image brightness, providing the highest possible image quality even in changing light conditions. The independent movement of the pods allows for single or dual eye configurations for increased operational flexibility. Each tube will automatically turn off when flipped up. Operating from a single AA alkaline battery, the UNVG can run up to 15 hours. With an external battery pack (included), the operating time increases to 50 hours! Also equipped with an integral infrared illuminator for reading in the dark. The device can be installing to a either standard dovetail type headset and helmet mount.

UNVG-51 model with a 51° field of view provides a large visual field without needing to move the binoculars.

- Low Power Consumption Design: Utilizes single AA battery or external battery pack.
- Flip-Up Auto Off Feature: Each tube will automatically turn off when flipped up out of the way.
- Corrosion and Impact-Resistant Housing: Matte black finish with PEEK+Glass fiber material for longevity.
- Quick Attachment Design: Dovetail base support for strong compatibility and durability.
- PVS-14-style Compatible: Objective lens and eyepiece lens are compatible with PVS-14 style components and attachments.
- Independent Pod Movement: Pods can roll up and down for quick configuration changes.
- Ultralight Housing: 17.6 oz / 500 g weight means improved mobility, responsiveness, and reduced fatigue.
- Single/Double Eye Configuration: Pods independently adjustable for improved operational flexibility.
- IR Complement Function: Infrared illuminator for enhanced visibility in total darkness and close quarters environments.
- Manual Gain Control: Adjust image intensifier gain for optimal vision preferences.
- New Simplified IP Stop Design: Improve IP Stop design allows you to set your tube positions to what is most comfortable for the user.



Equipment described herein is subject to US export regulations and may require a license prior to export. Diversion contrary to US law is prohibited.

## SPECIFICATIONS

	UNVG	UNVG-51
<b>Image Intensifier Tube</b>	Gen 2+ or Gen 3	Gen 2+ or Gen 3
<b>Magnification</b>	1x	1x
<b>FOV</b>	40°	51°
<b>Lens System</b>	25mm, F/1.23	19mm, F/1.26
<b>Diopter Adjustment</b>	-6D to +2D	-6D to +2D
<b>Exit Pupil</b>	14 mm	14 mm
<b>Eye Relief</b>	25 mm	17 mm
<b>Interpupillary Distance</b>	56 to 72 mm	56 to 72 mm
<b>Focus Range</b>	0.25 m to Infinity	0.25 m to Infinity
<b>Manual Gain Control</b>	Yes	Yes
<b>Infrared Illuminator</b>	Yes	Yes
<b>Flip-up Turn-Off System</b>	Yes	Yes
<b>Battery Type</b>	One AA (1.5 V) or External Battery Pack (four AA or two CR123A)	One AA (1.5 V) or External Battery Pack (four AA or two CR123A)
<b>Battery Life (Operating, 20°C, IR off)</b>	One AA - up to 15 hours External Battery Pack (four AA) - up to 50 hours External Battery Pack (two CR123A) - up to 30 hours	One AA - up to 15 hours External Battery Pack (four AA) - up to 50 hours External Battery Pack (two CR123A) - up to 30 hours
<b>Protection Level</b>	IP67	IP67
<b>Immersion</b>	20m (66 feet) for 2 hours	20m (66 feet) for 2 hours
<b>Operating Temperature</b>	-40°C to +50°C (-40°F to +122°F)	-40°C to +50°C (-40°F to +122°F)
<b>Storage Temperature</b>	-50°C to +70°C (-58°F to +158°F)	-50°C to +70°C (-58°F to +158°F)
<b>Dimensions</b>	101 x 116 x 85 mm (4.0 x 4.6 x 3.3 in)	101 x 116 x 85 mm (4.0 x 4.6 x 3.3 in)
<b>Weight</b>	500 g (1.1 lb)	500 g (1.1 lb)

**Package Includes:** Night Vision Goggles, External Battery Pack, Connecting Cable with Battery Adapter, Demist Shield (2), Sacrificial Window (2), Neck Strap, Carrying Case, Lens Cloth, User Manual, AA Battery.

\* Specifications are subject to change without notice. Images are for illustration purposes only.



MAIN OFFICE | 2407 E Interstate 30, Suite 100, Grand Prairie | TX 75050, USA  
Tel. +1.928.333.4300 | [info@agmglobalvision.com](mailto:info@agmglobalvision.com) | [www.agmglobalvision.com](http://www.agmglobalvision.com)

EUROPEAN OFFICE | #6 Andrey Lyapchev Blvd | Sofia, P.C. 1756 | Bulgaria  
Tel. +35.988.560.0326 | [info@agmglobalvision.eu](mailto:info@agmglobalvision.eu) | [www.agmglobalvision.eu](http://www.agmglobalvision.eu)